



www.akronex.com.tr

AKRONEX

ADVANCED FIRE FIGHTING SOLUTION

Getting closer to where fires start

How Akronex systems work



Flexible sensor tubing

Highly flexible tubing is installed directly among circuitry and mechanics in many different types of machines and enclosure. The tubing is pressurized with nitrogen holding down the valve piston.

Detects fire in seconds

The heat produced by, or coming immediately before, a fire causes the tube to burst at the hottest point (approx. 230 °F, 110 °C), releasing pressurized nitrogen, moving the piston, and opening the valve assembly.

Fast suppression

The pressure differential valve opens, agent flows through the piping network and is discharged through the nozzles within seconds, suppressing the fire, minimizing damage and repair downtime.



24/7 PROTECTION

Automatically detects and suppresses fires at the source in seconds, without electronics.



PLUG & PLAY SIMPLICITY

Six ready-made clean agent systems available – pre-tested, pre-approved and configured to meet most applications.



FAST & EFFECTIVE

When fire starts, the tube bursts, releasing the agent immediately, preventing equipment damage and minimizing down time.

INSTALLATION APPLICATIONS

- Electrical control cabinets/CNC machine enclosures
- Engine compartments/Fume hoods
- Flammable liquid storage
- Critical electronic enclosures
- Medical laboratory/test/production equipment
- Vending machines/Escalators
- Generator rooms/Fume cabinets
- Cable ducts/Transmitters
- Heavy plant and automated machinery
- Vehicle and boat protection

HFC-227ea Systems

HFC 227ea is a clean extinguishing agent used to protect sensitive or critical equipment. AKRONEX HFC 227ea Systems can be found in banks, computer suites, museums, clean rooms, laboratories and hospitals. HFC 227ea gaseous agent has 0% ODP (Ozone Depletion Potential).

With HFC 227ea there is no post-fire residue or clean up required, no damage to protected equipment and the agent is electrically non-conductive. HFC 227ea is SNAP Listed and recognized by top independent listings and approval agencies.



CNC machine enclosures



Fume hoods



Electrical control cabinets

HFC-227ea Combining value & performance

HFC 227ea Systems

Agent Size	
2 Lt.	
4 Lt.	
6 Lt.	



Class A



Class B



Class C

AKRONEX pre-engineered systems provide easy-to-fit, exceptional clean agent protection for critical machinery and equipment, suitable for cabinet, vehicle, communication, small enclosure and machine fire protection. AKRONEX flexible tube technology detects and triggers immediate release of the agent, ensuring rapid fire suppression. Available with HFC-227ea fire-fighting agent, AKRONEX systems are compact, cost effective and extremely easy to install.



Distributed by:

AKRON YANGIN GÜVENLİK A.Ş.

İçmeler Mah. Reis Sokak No:19/2 Tuzla / İST.

Tel : +90216 442 88 24 -25

Fax : +90216 442 88 26

E-mail : info@akronex.com.tr

Web : www.akronex.com.tr